		# Items	Symptoms Measured	<u>Ages</u>
<u>Parent</u>				
	CIS	13	Impairment	All
	Vanderbilt	47	ADHD, ODD, CD, anxiety/depression	All
	MFQ	21	Depression	All
	PHQ-9 Parent	13	Depression	All
	CMRS	21	Mania and psychosis	All
	Anxiety Screen	8	Anxiety and OCD	All
	TESI	14	Trauma meeting criterion A for PTSD	All
	AQ	10	Separate autism screens for ages 1-11 or >=12	All
	RAD-C	26	Reactive Attachment Disorder based on DSM-IV	All but symptoms/events need to have occurred before age 5
	SNAP	26	ADHD and ODD symptoms, for follow up	All
	PCL-PR	17	Criterion B, C, and D for PTSD	All
Child (clinician can also read these to younger patients if needed)				
<u>C</u>	MFQ	21	Depression	>=6
	PHQ-9	13	Depression	>=11
	MDQ	18	Mania and psychosis	>=11
	Anxiety Screen	8	Anxiety and OCD	>=6
	TESI	14	Trauma meeting criterion A for PTSD	>=11
	CRAFFT	9	Substance use disorder	>=11
	PCL-SR	17	Criterion B, C, and D for PTSD	>=11
Teacher				
<u>1 Ca</u>	Vanderbilt	43	ADHD, ODD, CD, anxiet/depression, impairment	All
		. •		• ***